



International Journal of Advanced Community Medicine

E-ISSN: 2616-3594
P-ISSN: 2616-3586
<https://www.comedjournal.com>
IJACM 2024; 7(1): 103-109
Received: 09-01-2024
Accepted: 17-02-2024

Agege EA
Department of Public and
community Health, Novena
University Ogume, Nigeria

Bwititi PT
School of Health and Medical
Sciences, University of Southern
Queensland, Toowoomba
Australia

Nwose EU
¹ Department of Public and
community Health, Novena
University Ogume, Nigeria
² School of Health and Medical
Sciences, University of Southern
Queensland, Toowoomba
Australia

Corresponding Author:
Agege EA
Department of Public and
community Health, Novena
University Ogume, Nigeria

African traditional practices and their public health implications

Agege EA, Bwititi PT and Nwose EU

DOI: <https://doi.org/10.33545/comed.2024.v7.i1b.296>

Abstract

Background: Health and culture of the people are interwoven; the latter is a determinant of the former. Culture dictates the behavior and belief of people, hence in Africa; there are several traditional practices with various health implications. These doctrines thrived in Africa continent due to dearth of in-depth studies on the health impacts of the abhorrent practices.

Objective: To analyze the health effects of Africa traditional practices and beliefs on the with a view to identifying the responsible factors for their choices in making it part their lifestyle during the need of medical care and treatment.

Methods: This study was a review of previous studies on traditional practices and beliefs in Africa. Ten traditional health practices affecting mostly women and children were reviewed with emphasis on public health implications of each to ascertain if they are to be encouraged or annulled.

Results: A summary of the review shows that most of the practices and beliefs may have negative effects as their effects are not scientifically supported.

Conclusion: To address the public health issues regarding unsafe traditional health practices for women and children in Africa, it is imperative to consider why some women subscribe to the unsafe health traditions. This allows for determination of measures and practices to encourage for behavioral change wheel.

Keywords: Practices, Traditional, Beliefs, Implications, Health

Introduction

Africa is a continent with diverse and unique cultural heritage, this is displayed in their socio-economic and family structures with numerous effects on the wellbeing of her populace ^[1]. As reported by Jimoh (2018) their cultural practices such as mutilation of women's genital organs, forced marriages, early motherhood as well as male children preferences are held tenaciously by African, though some of them contravene the human rights of its indigenes ^[2]. Nigeria is a major player in the African culture and traditional inclinations having the Igbos, Yorubas and Hausas among its over 250 ethnic groups ^[3].

Vaughn (2009) posited that these beliefs and culture plays vital role on healthcare seeking behaviors of the people, their beliefs about illnesses, and management, as well as wellbeing practices ^[4, 5]. Africans have a belief that ancestral spirits are a significant part of one's existence, that offending these ancestors could predisposes one to illness or death; this belief is innate among African traditional believers, even amongst Christians and Muslims as well ^[5].

When reflecting on causation of illnesses, manifestations of disease and pain, the provision of healthcare and treatment, modes of treatment, healthcare education and awareness, cultural beliefs is a major factor ^[6]. Iyalomhe (2012) is of the opinion that in Africa when people decide on their wellbeing, they may risk inference from the influence of past and present experiential beliefs and how they affect life generally ^[7].

Method: This review therefore narrates 10 discretionally selected health practices and posits their public health perspectives to advance health concerns of harmful practices.

Positive and harmful cultural practices with public health impacts

Compulsory rest and provision of native delicacies for nursing mothers

Studies had it that in Nigeria and other African countries, there is a bonding period between the mothers and their babies that also serves as recovering moments from the toils from child delivery; it is a 12 week maternity for all workers (8). Traditionally, this is a period, the

woman who newly put to birth are fed with local foods high in protein, mineral and vitamins to facilitate quick recovery, hormonal balance, energy boosting and enhance exclusive breastfeeding of the baby for at least 6 months^[9, 10]. Wray (2018) supported above practice by stating that this helps them to achieve adequate sleep and rest as a result of the exhaustion occasioned by childbirth labour and inadequate sleep when caring for the new-born^[11]. This is also a rich cultural practice among the Ishans and Urhobos, in the Southern part of Nigeria, where women after delivery are compulsorily made to rest (traditional maternity leave per se), where their daily chores are shared amongst the women of their age group.

Public Health Implication: Rest after delivery is good for the mother and helps the production of breast milk, nutritionally excellent for the child, rest helps the mother to also quickly regain lost strength during pregnancy and delivery^[12]. Breastfeeding practice helps in prolonging the time the women will get pregnant because during breastfeeding the woman is unlikely to ovulate, so this naturally helps for child-spacing and family planning method^[13, 14]. The WHO (2024) advised mothers who have delivered to eat special diets and this is a good practice that needs to be encouraged and sustained since this helps to promote healthy lifestyle and aids in disease prevention^[15].

Early marriage of the girls

Early marriage is a peculiar undertaking amongst the rural dwellers in Nigeria, dominantly in the Northern part of the country, where 48% of females between 15-24 years are involved in wedlock before they are 18 years in Africa^[16]. Kizilhan (2017) opined that forced marriage is a marriage constrained through coercion and constraint, and stressed that it by and large planned and arrangement by the guardians compulsorily made their own girl-child to wed against their will^[17]. Agege (2018) reported that 43% of girls got lured into marital union before 18 years and 17% are wedded before 15 years of age in the sub-Saharan Africa, stressing that child marriage is a violation of human rights of the girl-child and also robs them of their childhood entitlements, education, and future aspirations^[18].

Public Health Implications: According to Malhotra (2010), child marriage have numerous unwanted end result health effects on women, these are high probability for sexually transmitted diseases, cancers, dying during child-birth among others^[19]. In addition, being intentionally pregnant when unmarried may result in rejection of the girl by parents and peers^[20]. Studies further highlighted that child marriages result in various unsafe conditions and exposures such as domestic violence and of dehumanization to the females folks compared to their males counterparts, others include pregnancy and childbirth complications such as Vesico-Vagina Fistula (VVF) and death during delivery^[21, 20].

Female Circumcision/Male Circumcision:

Brains (2019), reported that it is a universal occurrences that male child is circumcised according to their tradition, religion, culture and race with social class, personality, attractiveness, capacity to sexual satisfaction and hygienic factors undertone^[22]. Traditionalists in Nigeria endorsed this practice in women and view it as a pre-requisite rite into that guaranteed cleanliness or better marriage^[23]. Studies revealed that female circumcision, refers to all procedures that involve partial or total taking away of the external

female genitalia, without any tangible health benefits to the females though it is highly practiced in Nigeria and other African countries; Nigeria is ranked as the world's 3rd highest country this is practised, whereas within the country, the rate of FGM practice is 41%^[24, 25].

Public Health Implications: The WHO posited that customs/practices that allow excision and/or injury to healthy female reproductive organs is a violation of female bodies but recommends that it allowed among males as a preventive measures in places where there are high incidences of HIV^[26, 27]. It worrisome to note that FGM results in adverse health outcomes, including long-term complications that impact on physical, mental, sexual well-being of females, thus such practices are unacceptable, regardless of who performs them^[21, 15], the other adverse health impacts of female circumcision are infections, difficulty urinating and menstrual flow, pain, infertility, and complications during parturition^[22].

Denying children some local foods: Traditional settings in some rural areas in Nigeria, forbids kids eating meat and eggs, they only feed on carbohydrates due to food restriction during illness, false beliefs with vicious cycle of undernourishment and inability to withstand diseases as the attendant effects^[29]. The reason for this belief and traditional practices which plays essential role in food acceptance, makes them have the opinion that children will become thieves, witches/wizards, etc., if they consume such foods at infancy or during childhood^[29].

Public Health Implications: According to Mahmood (2012), family is pivotal in indoctrinating infants and children's adherence to healthy food choices and healthy eating habits; aiming at dietary health promotion and education^[30, 31]. It is prudent to know that denying the infant access to highly nutritional foods can lead to serious health issues such as kwashiorkor^[32]. Studies have shown that children in families that are food unsecured in forms of unavailability or denial, are prone to illnesses, recover slowly when sick, suffer poor health outcomes, and are hospitalized frequently; because food insecurity in children often leads to iron deficiency problem and other nutritional problems such as skeletal compactness^[32].

Neonatal Cord Care: Abua (2023) reported that one of the leading causes of new-born infant death under 1-month-old is neonatal sepsis, that could ensued during the severing of the umbilical cord of the new-born with dirty or contaminated equipment^[33]. In Nigeria and other African countries, during home delivery, the umbilical cord of the newly born is sometimes cleaved with unsterilized razor blade or any other sharp instrument and treated with different herbal substances^[34]. At times the severed stump of the cord is covered with native concoctions several times until the stump falls, without cognisant to the neonatal morbidity and mortality due to neonatal infections including tetanus^[35].

Public Health Implications: According to Mullany (2007), significant infection occur during home delivery in a dirty environment attended by unqualified birth attendants under sub-standard delivery procedures and practices (36). The WHO endorses clean and dry cord for new baby in health facilities and at home to lower neonatal mortality using chlorhexidine solutions^[37]. The use of such agent could help curb the application of harmful traditional substance

such as cow dung in the treatment of cord stump because this obsolete practice exposes the new-born to infection that can lead to death^[38].

Febrile Convulsion Management in Children: Studies have shown that in Africa, seizure due to elevated temperature in child under 5 years is mostly caused by severe malaria, but the traditional management and understanding about malaria is often related to culture, and can affect the timely and efficacious management of it^[39, 40]. Ofovwe (2002) reported that in some rural areas in Nigeria, when a child fits or convulses due to hyperthermia, they are often placed near the fire or wrapped in thick clothes, or the whole body is rubbed with oil with the aim of treating the cause of the fever^[41]. Subsequently, to manage the seizures traditionally, some herbs are roasted and squeezed into the eyes of the child and even kerosene as well with erroneous belief that the seizure be averted^[41].

Public Health Implications: It is expedient to note that febrile seizure usually occurs when child's temperature is above 38°C^[42]. Febrile seizures, have good prognosis but are associated with a high frequencies of complications and deaths in Africa and other countries due to crude methods in managing it^[43]. Application of force to a child who fits can further increase the temperature, breaks the teeth, blindness and suffocates the child, instead it is paramount to ensure hydration by persuading the infant to take water and recommended medicines^[42].

Breast flattening/ironing: This is one of African customs practiced by the Gildas in Cameroon, it involves rubbing or pounding the girl's breasts with heated spatulas and pestles among others, in order to flatten the developing breasts^[28, 29]. This is a harmful practice is majorly executed on girls and women in some localities in south of the Sahara Africa^[46]. According to African Health Organization (AHO) (2019), breast ironing affects 3.8 million women globally^[45]. This is also carried out with the aim of delaying the first sexual encounter by making their bodies not appealing, prevent juvenile pregnancy and sexual molestations^[47].

Public health Implications: According to African Health Organization (AHO) (2019), breast flattening is extremely hurtful; make girls feel ashamed of their bodies and can cause tissue damage with breast cancer, cysts, depression, and interfere with breastfeeding as possible complications^[45]. The AHO (2019) also argues that breast ironing exposes the woman to many health problems that include cancer, abscesses, itching, discharge of milk, dissymmetry of breasts, cysts, breast infections, fever, tissue damage and disappearance of one or both breasts^[45]. While Gil (2019) reported the practice as child abuse with gradual and subtle negative outcomes on psycho-social wellbeing^[48].

Virginity testing: This is an African traditional practice where a virgin women are subjected, or forced to undergo a test to determine if she has had sexual coitus^[49]. In communities such as KwaZulu Natal, South Africa and Swaziland, it is sometimes done on school-aged girls with the intention to discourage sex before marriage and reduce HIV prevalence^[50]. The WHO, notes that virginity testing lacks scientific rationale, damages and infringes on female rights and privacy^[51]. Crosby (2019), also note that this test that involves physical examination of the hymen, to determine if there has been vaginal intercourse is based on erroneous premise that penile penetration results in

observable changes in vaginal introitus, with reference to the shape and appearance of the hymen^[52]. It has been noticed that in some cultures, to be a virgin is a crucial social norm and sexual purity thus an honor to the female, her family and community^[53].

Public Health Implications: Virginity exam has been known to result in remarkable negative emotional consequences such as intense anxiety, culpability, mortification, depression, loss of self-esteem, post-traumatic stress disorder, powerlessness, humiliation, and panic^[54]. Crosby (2019) also posited that a lost maidenhood comes with some psychological effects such as distress, rejection, suicide, weakened self-confidence, apprehension, loss of respect and dislike to the girl by the community^[52]. This practice also violates the individual's physical integrity, autonomy, and privacy especially when performed without consent^[55].

Grieving and Mourning by a Woman: As posited by Ayebare (2021), cultural beliefs, religious and socio-cultural practices affect outcome of bereavements of a loved one such as a child, spouse, or very close family member's demise (56). Such belief has made some to feel less for a grieving person especially the women failing to realise that everybody have different levels of threshold when suffers a loss and that each person's grief style is both personal and unique^[57]. Studies have shown that the magnitude of deprivation is determined by some factors such as anticipated or sudden death, the role/position of the dead in the family, age and status of the dead^[58].

However, there are variances with respect to gender from one country or tribe to another; whereas the male mourners are more comfortable with losses and are treated with respect during bereavement, the females are with levity and ignominy^[59], these include being made to bath the dead, stay with the corpse, shaving her hairs, eating with unwashed and broken utensils, prohibition of bathing period and wearing of dark or black clothes for a specified period of time^[60]. In the eastern part of Nigeria, the widow is made to carry out some process of cleansing such as having sexual intimacy with the custodian of a deity after her husband demise because she is deemed to have been defiled by the death of her spouse so as to weaken or wall off the late husband's spirit^[61]. No wonder Eknunkunbor (2014) averred that apart from the upsetting experience by a mourner in some cultures, the widows are forced to start a new life entirely different from what they were used to due to the demise of their husbands^[62].

Public Health Implications: In some part of Nigeria, while the dead is yet to be buried, the family members often subject the widow to various kinds of ill-treatment, discrimination and stigmatization; even prevention from inheriting her husband's land and other properties^[63]. The loss of a spouse is seen as one of the most distressing experiences in life, in the immediate period following the loss, there is an increased risk of illnesses and deaths among the widows^[64]. Studies revealed that grief leads to adverse effects on wellbeing and compromised immunity stemming into infection, misery, consternation, suicidal tendencies and actions, physical illness, and post-traumatic stress disorders^[65]. It is also vital to note that the agony of losing a spouse or partner impacts not only on emotional and psychological aspects, but it affects the physical health as well^[66].

Drinking of Cow Urine to treat poison and convulsion:

In some African countries, suspected cases of poison are traditionally managed using cow urine as a preparation for the treatment ^[67]. This is a common traditional rehearse among the Yorubas in Nigeria ^[68].

Public Health Implications: Studies have shown that though cow urine may have some medicinal benefits, it loses its usefulness and sterility once it is out of the body of the cow rendering it tainted, yielding microbes and toxic to human body ^[69, 70]. Elegbe (1977) recorded that urine therapy is argued as alternative therapy in some parts of the world, and that there are various antibiotic resistant microorganisms that can be acquired via intake of cow and human urine ^[67].

Conclusion

Managing of diseases among children using customary means is common in Africa, so, any other practices which are dangerous to humans should be abolished. It is essential to know that changing or modifying an age-long tradition is challenging, especially those with culturally believed repercussions. Therefore, it is germane to ask, why do Africans hold on to traditions and customs that are unsafe and harmful? What measures do we have available to tame these obnoxious exercises? Efforts must be directed towards overhauling the mindset about the acclaimed benefits of these deleterious customs and their sources must be expressly examined. The dependence on good traditional practices may be good but knowledge on better medically proven alternatives are acceptable to dispel the fears of repercussions for deviations from traditional norms are necessary to provide the ability, motivation, and opportunity to foster behavioral change wheel.

Acknowledgement: Prof. C.C. Ofili and all my colleagues in the Public and Community Health Department, Novena University, Ogume are all appreciated for their support in completion of this work. Special thanks to Prof. Uba Nwose and Bwititi Philip for active participation in the review of the manuscripts several to have this refined outcome.

Funding: No funding sources.

Conflict of interest: None declared Ethical approval.

References

- Ojua TA, Lukpata FE, Atama C. Exploring the Neglect of African Family Value Systems and its Effects on Sustainable Development. *American Journal of Human Ecology*. 2014;3(3):43-50. Available from: <http://worldscholars.org/index.php/ajhe/article/view/585/pdf>
- Jimoh AO, Adaji SE, Adelaiye H, Olorukooba AA, Bawa U, Ibrahim IH, Garba C, Mfuh AL, Idris S, Shittu OS. A cross-sectional study of traditional practices affecting maternal and newborn health in rural Nigeria. *Pan African Medical Journal* [Internet], 2018, 31(64). Available from: <https://www.panafrican-med-journal.com/content/article/31/64/full/>
- Ojua TA, Ishor JD, Ndom P. African Cultural Practices and Health Implications for Nigeria Rural Development. *International Review of Management and Business Research* [Internet]. 2013;2(1):176-83. Available from: https://papers.ssrn.com/sol3/papers.cfm?abstract_id=2377906
- Vaughn LM, Jacquez F, Baker RC. Cultural Health Attributions, Beliefs, and Practices: Effects on Healthcare and Medical Education. *Open Medical Education Journal* [Internet]. 2009;2:64-74. Available from: https://www.researchgate.net/publication/228546479_Cultural_Health_Attributions_Beliefs_and_Practices_Effects_on_Healthcare_and_Medical_Education
- Omosho O. Health-seeking Behaviour among the Rural Dwellers in Ekiti State, Nigeria. *An International Multidisciplinary Journal, Ethiopia* [Internet]. 2010;4(2):125-138. Available from: <https://www.ajol.info/index.php/afrev/article/view/58296>
- United Nations Human Rights Office of the Commissioner. Fact Sheet No.23, Harmful Traditional Practices Affecting the Health of Women and Children [Internet]; c1979 [Cited 2020 Aug 20]. Available from: <https://www.ohchr.org/Documents/Publications/FactSheet23en.pdf>
- Iyalomhe GBS, Iyalomhe S. Health-Seeking Behavior of Rural Dwellers in Southern Nigeria: Implications for Healthcare Professionals. *International Journal of Tropical Disease & Health* [Internet]. 2012;2(2):62-71. Available from: <https://pdfs.semanticscholar.org/b43e/0e23976242d073d2c2fc428edc4bb461534c.pdf>
- Okpeku O. Does maternity leave subsume annual leave? *This Day News* [Internet]; c2022 Nov 24; Available from: <https://businessday.ng/news/legal-business/article/does-maternity-leave-subsume-annual-leave/#>
- UPMC. UPMC Life Changing Medicine; c2024 [cited 2024 Feb 27]. Nutrition and Sleep Postpartum: New Mom Services at UPMC Magee-Womens in Central Pa. Available from: <https://www.upmc.com/services/south-central-pa/women/services/pregnancy-childbirth/new-moms/after-birth/nutrition-sleep-postpartum#>
- Dias T. Vogue Indian; c2022 [Cited 2024 Feb 27]. Postnatal diet: 4 essential nutrients to eat after giving birth, according to a clinical nutritionist. Available from: <https://www.vogue.in/beauty/content/postnatal-diet-4-essential-nutrients-to-eat-after-giving-birth-according-to-a-clinical-nutritionist>
- Wray N. Metropolitan Doulas; c2018 [Cited 2024 Feb 27]. Sleep and its Impact Postpartum. Available from: <https://metropolitandoulas.com/2018/05/11/sleep-and-its-impact-postpartum/>
- Cleveland Clinic. Health Library; c2022 [cited 2024 Feb 27]. Caring for Your Health after Delivery. Available from: <https://my.clevelandclinic.org/health/articles/9679-postpartum-care>
- Saadeh R, Benhouzid D. Breast-feeding and child-spacing: importance of information collection for public health policy. *Bulletin of the World Health Organization* [Internet]. 1990;68(5):625-31. Available from: <https://pubmed.ncbi.nlm.nih.gov/2289298/#>
- Wallis M. Healthline; c2020 [cited 2022 May 3]. Fact or Fiction? You Can't Get Pregnant While Breastfeeding. Available from: <https://www.healthline.com/health/pregnancy/can-you-get-pregnant-while-breastfeeding#why-it-works>
- World Health Organization. Sexual and Reproductive Health Research; c2024 [Cited 2024 Feb 27]. Raising the importance of postnatal care. Available from: <https://www.who.int/images/default->

- source/departments/reproductive-health/maternal-and-newborn-health/un0306347.tmb-1366v.jpg?
16. UNICEF. Child Marriage. UNICEF Global databases [Internet]; c2020. Available from: <https://data.unicef.org/topic/child-protection/child-marriage/>
 17. Kizilhan JI. Forced Marriage and Mental Health by Migrants in Germany. *Community Medicine & Public Health* [Internet]. 2017;3(2):71-76. Available from: <https://www.peertechzpublications.com/articles/ACMP-H-3-128.php>
 18. Agege EA, Nwose EU, Odjimogho S. Parental perception of girl-child early marriage amongst the Urhobos in Nigeria. *International Journal of Community Medicine and Public Health*. [Internet]. 2018, 5(8). Available from: <https://www.ijcmph.com/index.php/ijcmph/article/view/3263/2256>
 19. Malhotra A. The Causes, Consequences and Solutions to Forced Child Marriage in the Developing World. Testimony Submitted to U.S. House [Internet]. Innovation and Impact International Center for Research. Washington D. C.; c2010. Available from: <https://www.icrw.org/files/images/Causes-Consequences-and-Solutions-to-Forced-Child-Marriage-Anju-Malhotra-7-15-2010.pdf>
 20. Agege EA, Nwose EU, Nwajei SD, Odoko JO, Moyegbone JE, Igumbor EO. Epidemiology and health consequences of early marriage: focus on Delta State Nigeria. *International Journal of Community Medicine and Community Health*. [Internet]. 2020;7(9):3705–10. Available from: <https://www.ijcmph.com/index.php/ijcmph/article/view/6778>
 21. Akanksha AM, Ambale GS, Reid AM. Women's Marriage Age Matters for Public Health: A Review of the Broader Health and Social Implications in South Asia. *Frontiers in Public Health*. [Internet]; c2017; Available from: <https://blog.frontiersin.org/2017/12/27/frontiers-in-public-health-women-girl-early-marriage-risks-violence-nutrition-mental-health/>
 22. Brian JM, Hankins CA, Lumbers ER, Mindel A, Klauser JD, Kreiger JN, Cox G. Sex and Male Circumcision: Women's Preferences Across Different Cultures and Countries: A Systematic Review. *Sex Medicine*. [Internet]. 2019;7(2):145–161. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6523040/>
 23. Ruttert SJ. The Borgen Project; c2021 [cited 2022 May 3]. Traditions of Female Genital Mutilation in Nigeria. Available from: <https://borgenproject.org/female-genital-mutilation-in-nigeria/>
 24. UNICEF. Child Protection; c2022 [cited 2024 Feb 28]. What is female genital mutilation? Available from: <https://www.unicef.org/protection/female-genital-mutilation>
 25. Okeke TC, Anyaehie USB, Ezenyeaku CCK. An Overview of Female Genital Mutilation in Nigeria. *Annals of Medical and Health Sciences Research*. [Internet]. 2012;2:70. Available from: http://jmrh.mums.ac.ir/article_11709.html. Retrieved 28/3/2020
 26. WHO. Female genital mutilation [Internet]; c2024 [cited 2024 Feb 27]. Available from: <https://www.who.int/news-room/fact-sheets/detail/female-genital-mutilation>
 27. WHO. Framework for clinical evaluation of devices for male circumcision [Internet]; c2012 [cited 2024 Feb 27]. Available from: <https://www.who.int/publications/i/item/9789241504355>
 28. World Health Organization. Sexual and Reproductive Health; c2020 [cited 2020 Aug 22]. Health risks of female genital mutilation (FGM). Available from: <https://www.who.int/sexual-and-reproductive-health/health-risks-of-female-genital-mutilation#:~:text=All forms of FGM are,regardless of who performs it.>
 29. Benakappa A, Shivamurthy P. Beliefs Regarding Diet During Childhood Illness. *Indian Journal of Community Medicine* [Internet]. 2012;37(1):20–24. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3326802/>
 30. Mahmood L, Flores-Barrantes P, Moreno L, Manios Y, Gonzalez-Gil E. The Influence of Parental Dietary Behaviors and Practices on Children's Eating Habits. *Nutrients*. [Internet]. 2012;13(4):1138. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8067332/>
 31. Baek YJ, Paik HY, Shim JE. Association between family structure and food group intake in children. *Nutrition Research Practice*. [Internet]. 2014;8(4):463–8. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4122720/#:>
 32. American Academy of Pediatrics. Science Daily; c2015 [cited 2020 Aug 22]. Lack of adequate food is ongoing health risk to US children. Available from: <https://www.sciencedaily.com/releases/2015/10/151023083717.htm>
 33. Abua MA, Odu NA, Madubuattah LC, Ogunkola IO. Cultural patterns and outcome of umbilical cord care among caregivers in Africa: a systematic review. *Annals of Medicine and Surgery*. [Internet]. 2023;85(7). Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC10328678/>
 34. Israel CE, Attama KO, Ihudiebube-Splendor CN, Omotola N. Knowledge and use of chlorhexidine gel in umbilical cord care among postpartum women at Poly General Hospital, Enugu, Southeast Nigeria: a cross-sectional study. *International Health*. [Internet]. 2023; Available from: <https://academic.oup.com/inthealth/advance-article/doi/10.1093/inthealth/ihad061/7236998>
 35. Abhulimhen-Iyoha BI, Ofili A, Ibadin MO. Cord care practices among mothers attending immunization clinic at the University of Benin Teaching Hospital, Benin City. *Nigerian Journal of Paediatrics*. [Internet]. 2011;38(3). Available from: <https://www.ajol.info/index.php/njp/article/view/72262>
 36. Mullany LC, Darmstadt GL, Katz J, Kharty SK, LeClerq SC, Adhikari RK, Tielsch JM. Risk factors for umbilical cord infection among newborns of southern Nepal. *American Journal of Epidemiology*. 2007;165(2):203–11.
 37. World Health Organization. Implementing the World Health Organization Revised Recommendations on Cord Care [Internet]. Country Guidance for Umbilical Cord Care. 2018. Available from: [https://www.healthynewbornnetwork.org/hnn-](https://www.healthynewbornnetwork.org/hnn-sheets/detail/female-genital-mutilation)

- content/uploads/Final-for-translation_CWG-Country-Guidance_Jan-19-2018_EN.pdf
38. Ans M, Hussain M, Ahmed F, Khan KJ, Abbas S, Sultan M. Umbilical Cord Care Practices and Cord Care Education of Mothers Attending Health Care (Pakistan Prospect). *Sci Res [Internet]*. 2023;(15):1. Available from: <https://www.scirp.org/journal/paperinformation?paperid=122500#>
 39. Singh R, Musa J, Singh S, Ebere UV. Knowledge, Attitude and Practices on Malaria Among the Rural Communities in Aliero, Northern Nigeria. *Journal of Family Medicine and Primary Care. [Internet]*. 2014;3(1):39–44. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4005199/>
 40. Assogba K, Balaka B, Tuoglo FA, Apetse KM, Kombate D. Febrile seizures in one-five aged infants in tropical practice: Frequency, etiology and outcome of hospitalization. *Journal of Pediatric Neurosciences. [Internet]*. 2015;10(1):9–12. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4395963/>
 41. Ofovwe GE, Ibadin OM, Ofovwe EC, Okolo AA. Home management of febrile convulsion in an African population: a comparison of urban and rural mothers' knowledge attitude and practice. *Journal of the Neurological Sciences. [Internet]*. 2002;200(1–2):49–52. Available from: <https://pubmed.ncbi.nlm.nih.gov/12127675/>
 42. Laino D, Mencaroni E, Esposito S. Management of Pediatric Febrile Seizures. *International Journal of Environmental Research and Public Health. [Internet]*. 2018;15(10):2232. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6210946/>
 43. Vestergaard M, Pedersen MG, Østergaard JR, Pedersen CB, Olsen J, Christensen J. Death in children with febrile seizures: a population-based cohort study. *PubMed [Internet]*. 2008;372(9637):457–463. Available from: <https://pubmed.ncbi.nlm.nih.gov/18692714/>
 44. Gildas P. The Victims of Cameroon's Horrific Breast Ironing Tradition. *Vice France [Internet]*; c2015 Aug 19; Available from: https://www.vice.com/en_us/article/4wbqj/cameroon-tradition-flattening-chests-876
 45. African Health Organization. African Health; d2019 [cited 2020 Aug 24]. Breast Ironing Fact Sheet. Available from: <https://aho.org/fact-sheets/breast-ironing-fact-sheet/>
 46. Amahazion F. Breast ironing: A brief overview of an underreported harmful practice. *Journal of Global Health. [Internet]*, 2021, 11. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8005301/>
 47. Lee E. CPD Online College; c2022 [cited 2024 Feb 27]. What is Breast Ironing? Available from: <https://cpdonline.co.uk/knowledge-base/safeguarding/breast-ironing/>
 48. Gil N. Refinery29 UK; c2019 [cited 2020 Aug 24]. "Breast Ironing": A Secretive Form Of Abuse Happening In The UK Today. Available from: <https://www.refinery29.com/en-gb/2019/02/224078/breast-ironing-uk>
 49. World Health Organization: New Item. Geneva; c2018 [cited 2024 Feb 27]. United Nations agencies call for ban on virginity testing. Available from: <https://www.who.int/news/item/17-10-2018-united-nations-agencies-call-for-ban-on-virginity-testing>
 50. Olson RM, Garcia-Moreno C. Virginity testing: a systematic review. *Reproductive Health. [Internet]*. 2017;61(14). Available from: <https://reproductive-health-journal.biomedcentral.com/articles/10.1186/s12978-017-0319-0>
 51. World Health Organization: Sexual and reproductive health. 2020 [cited 2020 Aug 20]. End virginity testing. Available from: <https://www.who.int/reproductivehealth/publications/in-fographics-end-virginity-testing/en/>
 52. Crosby SS, Oleng N, Volpellier MM, Mishori R. Virginity testing: recommendations for primary care physicians in Europe and North America. *BMJ Global Health. [Internet]*. 2019;5(1). Available from: <https://gh.bmj.com/content/5/1/e002057>
 53. Frank MM, Bauer HM, Arican N, Fincanci SK, Iacopino V. Virginity examinations in turkey: role of forensic physicians in controlling female sexuality. *National Library of Medicine. [Internet]*. 1999;4:282. Available from: <https://pubmed.ncbi.nlm.nih.gov/10442667/>
 54. International Association of Forensic Nurses. Forensic nurses; c2022 [cited 2024 Feb 27]. Virginity Testing. Available from: <https://www.forensicnurses.org/wp-content/uploads/2022/03/Virginity-Testing-Position.pdf>
 55. World Health Organization. Interagency statement calls for the elimination of "virginity-testing [Internet]; c2018 [cited 2024 Feb 27]. Available from: <https://www.who.int/news/item/17-10-2018-interagency-statement-calls-for-the-elimination-of-virginity-testing#:>
 56. Ayebare E, Lavender T, Mweteise J, Nabisere A, Nendela A, Mukhwana R, *et al.* The impact of cultural beliefs and practices on parents' experiences of bereavement following stillbirth: a qualitative study in Uganda and Kenya. *BMC Pregnancy Childbirth [Internet]*. 2021;21(1):443. Available from: <https://pubmed.ncbi.nlm.nih.gov/34172018/>
 57. Hospice Foundation of America. Hospice Foundation; c2024 [cited 2024 Feb 27]. The Different Ways We Grieve. Available from: <https://hospicefoundation.org/End-of-Life-Support-and-Resources/Grief-Support/Journeys-with-Grief-Articles/The-Different-Ways-We-Grieve#:>
 58. Wilson J. Death of a Partner: How Age Affects Grief and Grieving [Internet]; c2013 [cited 2024 Feb 27]. Available from: <https://johnwilsononline.org/2013/10/17/death-of-a-partner-how-age-affects-grief-and-grieving/>
 59. Bekkers T. Relentless; c2013 [cited 2024 Feb 27]. Gender Differences in Grief. Available from: <https://gboncology.com/blog/gender-differences-in-grief/>
 60. Meziobi DI, Meziobi SA, Iyamu EOS. Widowhood Practices among Igbos of South Eastern Nigeria as a Betrayal of the Fundamental Human Rights of Women. *Journal of Contemporary Research*. 2011;8(2):72–83.
 61. Elochukwu A. Right of Equality; c2021 [cited 2024 Feb 27]. Widowhood Practices In Nigeria And Abuse Of Women's Right. Available from: <https://www.rightsofequality.com/widowhood-practices-in-nigeria-and-abuse-of-womens-right/>
 62. Ekunkunbor J, Nkwopara C, Ogwuda A, Balogun I, *et*

- al.* Agonies of widows hit by harsh Nigerian traditions. Vanguard news [Internet]; c2014 Jul 19; Available from: <https://www.vanguardngr.com/2014/07/agonies-widows-hit-harsh-nigerian-traditions/>
63. Ahmadu J. Rise from the Ashes: Addressing The Plight Of Nigeria's Widows. Leadership [Internet]; c2021. Available from: <https://leadership.ng/rise-from-the-ashes-addressing-the-plight-of-nigerias-widows/#>
64. Seiler A, von Kanel R, Slavich GM. The Psychobiology of Bereavement and Health: A Conceptual Review From the Perspective of Social Signal Transduction Theory of Depression. Front Psychiatry [Internet]; c2020. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC7744468/>
65. Frysh P. Webmed; c2023 [cited 2024 Feb 27]. How Grief Can Affect Your Health. Available from: <https://www.webmd.com/mental-health/ss/slideshow-grief-health-effects>
66. Watson R. Death of a spouse or partner can lead to heart attack or stroke [Internet]. Harvard Women's Health Watch. USA; c2014. Available from: <https://www.health.harvard.edu/blog/death-spouse-partner-can-lead-heart-attack-stroke-201402277055>
67. Elegbe RA, Oyebola DD. Cow's urine poisoning in Nigeria: cardiorespiratory effects of cow's urine in dogs. Transactions of the Royal Society of Tropical Medicine and Hygiene. [Internet]. 1977;7(2):127–32. Available from: <https://pubmed.ncbi.nlm.nih.gov/877988/>
68. Ayorinde FO, Avery JW, Adelike AD, Oyewole JA, Odebiyi OO. Chemistry of a Nigerian Herbal Preparation (Cow's Urine Concoction) I. Journal of Tropical Pediatrics. 1982;28(5):235–9.
69. Handoo S. StyleCraze. 2023 [cited 2024 Feb 28]. Cow Urine Benefits: Uses and Side Effects of Drinking It. Available from: <https://www.stylecraze.com/articles/cow-urine-benefits/#>
70. Mohanty I, Senapati MR, Jena D, Palai S. Diversified uses of cow urine. International Journal of Pharmacy and Pharmaceutical Sciences. [Internet]. 2014;6(3):20–2. Available from: https://www.researchgate.net/publication/286375487_Diversified_uses_of_cow_urine

How to Cite This Article

Agege EA, Bwititi PT, Nwose EU. African traditional practices and their public health implications. International Journal of Advanced Community Medicine. 2024;7(1):103-109.

Creative Commons (CC) License

This is an open access journal, and articles are distributed under the terms of the Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0) License, which allows others to remix, tweak, and build upon the work non-commercially, as long as appropriate credit is given and the new creations are licensed under the identical terms.