

This article is downloaded from



CRO CSU Research Output
Showcasing CSU Research

<http://researchoutput.csu.edu.au>

It is the paper published as:

Author: J. McCormack, S. McLeod, L. McAllister and L. Harrison

Title: A systematic review of the association between childhood speech impairment and participation across the lifespan

Journal: International Journal of Speech-Language Pathology **ISSN:** 1754-9507 1754-9515

Year: 2009

Volume: 11

Issue: 2

Pages: 155-170

Abstract: Speech impairment of unknown origin is one of the most common communication impairments in childhood. The purpose of this systematic review was to identify limitations in life activities that may be associated with speech impairment, through analysing the findings of papers published in the past ten years. Domains from the Activities and Participation component of the International Classification of Functioning, Disability and Health (ICF; World Health Organization, 2001) were used as search terms, and resulted in fifty-seven papers being identified. Findings from each paper were reviewed in terms of the association between speech impairment and Activity Limitations and/or Participation Restrictions as defined by the ICF. The systematic review revealed that speech impairment in childhood may be associated with the following Activity Limitations and/or Participation Restrictions: learning to read/reading, learning to write/writing, focussing attention and thinking, calculating, communication, mobility, self-care, relating to persons in authority, informal relationships with friends/peers, parent-child relationships, sibling relationships, school education, and acquiring, keeping and terminating a job.

Author Address: jmccormack@csu.edu.au

smcleod@csu.edu.au

lmcallister@csu.edu.au

lharrison@csu.edu.au

URL: <http://dx.doi.org/10.1080/17549500802676859>

<http://www.informaworld.com/smpp/content~content=a908916924~db=all~order=page>
www.informaworld.com/ijslp

http://researchoutput.csu.edu.au/R/-?func=dbin-jump-full&object_id=8742&local_base=GEN01-CSU01

http://bonza.unilinc.edu.au:80/F/?func=direct&doc_number=001662193&local_base=L25XX

CRO Number: 8742

Running Head: Speech impairment and participation

A systematic review of the association between childhood speech impairment and participation across the lifespan

JANE McCORMACK, SHARYNNE McLEOD, LINDY McALLISTER* AND LINDA J. HARRISON

Charles Sturt University, Australia

Correspondence: Jane McCormack, Charles Sturt University, P.O. Box 789,

Albury, NSW 2640, Australia. Tel. +61-2-6051 6835. Email: jmccormack@csu.edu.au

Key words: speech impairment, impact, ICF, systematic review, articulation, phonology

* Currently employed at The University of Queensland, Australia.

Published as: McCormack, J., McLeod, S., McAllister, L. & Harrison, L. J. (2009). A systematic review of the association between childhood speech impairment and participation across the lifespan, *International Journal of Speech-Language Pathology*, 11(2),

ABSTRACT

Speech impairment of unknown origin is one of the most common communication impairments in childhood. The purpose of this systematic review was to identify limitations in life activities that may be associated with speech impairment, through analysing the findings of papers published in the past ten years. Domains from the Activities and Participation component of the International Classification of Functioning, Disability and Health (ICF; World Health Organization, 2001) were used as search terms, and resulted in fifty-seven papers being identified. Findings from each paper were reviewed in terms of the association between speech impairment and Activity Limitations and/or Participation Restrictions as defined by the ICF. The systematic review revealed that speech impairment in childhood may be associated with the following Activity Limitations and/or Participation Restrictions: learning to read/reading, learning to write/writing, focussing attention and thinking, calculating, communication, mobility, self-care, relating to persons in authority, informal relationships with friends/peers, parent-child relationships, sibling relationships, school education, and acquiring, keeping and terminating a job.

Speech-language pathologists have reported that speech impairments (including articulation and phonology) are one of the most common forms of communication impairment among children presenting at their clinics (e.g., Broomfield & Dodd, 2004; Joffe & Pring, 2008; McLeod & Baker, 2004). In 2000, a systematic review of studies found the estimated prevalence of speech delay ranged from 2.3% to 24.6% in children under 16 years of age (Law, Boyle, Harris, Harkness, & Nye, 2000). Since that time, additional studies have been conducted that support the prevalence of speech impairment among preschool children (e.g., McLeod & Harrison, in review; Ttofari Eecen, Reilly, & Eadie, 2007) and children at school (e.g., Jessup, Ward, Cahill, & Keating, 2008; McKinnon, McLeod, & Reilly, 2007) with similar results.

“Speech and language development is intimately related to all aspects of educational and social development” (Law, Boyle, Harris, Harkness, & Nye, 1998, p. 2). Consequently, a communication impairment that first presents in childhood may be associated with Activity Limitations and/or Participation Restrictions that extend across the lifespan. For example, a systematic review published in 1998 found children who do not receive speech intervention, or who begin speech intervention in the school-years, can continue to have difficulties for at least 28 years (Law et al., 1998). Felsenfeld and colleagues reported that childhood phonological (speech) impairment may be associated with difficulties with communication skills, education and employment in adults 28 years after their initial presentation (Felsenfeld, Broen, & McGue, 1992; 1994; Felsenfeld, McGue, & Broen, 1995). As people are increasingly expected to be proficient communicators in employment and social activities, the association between such a communication impairment and life activities will become more apparent (Byles, 2005). A framework which promotes a more holistic understanding of the concepts of health and functioning is useful to consider this association.

The International Classification of Functioning, Disability and Health (ICF) released by the World

Health Organization (WHO) in 2001 has been recommended as an appropriate framework for use within the profession of speech-language pathology (Threats, 2006; Threats & Worrall 2004). According to the ICF framework, health is not so much the absence of disease as an individual's ability to function optimally in a given context. The framework recognises health to be the result of a complex interaction between biological, individual and societal factors (Reed et al., 2005). That is, the ICF recognises the inter-relationships that exist between impaired Body Structures and/or Functions (e.g., speech impairment), Personal and Environmental Factors and Participation in everyday activities¹.

While researchers such as Felsenfeld and colleagues have investigated the immediate and lasting effects of speech impairment (Felsenfeld et al., 1992; 1994; 1995), these effects have not previously been explicitly linked to the Activities and/or Participation of individuals in their lives. This paper presents the results of a systematic review of the literature, published in the past 10 years, which has investigated the association between speech impairment and Activity Limitations and/or Participation Restrictions² across the lifespan. This time-frame was chosen as it reflects the shift in conceptualising health that has taken place in speech-language pathology (and other health fields) as an integration of medical and social factors. The purpose was to identify the Activities that may be limited for individuals with a history of speech impairment. These Activities were defined using the Activities and Participation component from the ICF (WHO, 2001). In the ICF, an Activity is defined as “the execution of a task or action by an individual” while Participation is “involvement in a life situation” (WHO, 2001, p. 14). The Activities and Participation component is divided into nine chapters (see Table 2), which are further divided into domains that cover “the full range of life areas” (WHO, 2001, p. 14). It has been suggested that such a construct has “significant promise to document the social dimensions of disability” (Simeonsson, Carlson, Huntington, McMillen, &

¹ Capitalization has been used for these terms to be consistent with usage in the ICF and to differentiate between everyday usage of these terms.

² Hereafter referred to as Participation Restrictions

Brent, 2001, p. 61). The aim of this paper was not to suggest speech impairment may *cause* Participation Restrictions since current research does not allow these cause-effect relationships to be drawn. Therefore, the aim of this paper was to review research that identified an *association* between the two, in order to better understand the social dimensions of childhood speech impairment.

Method

Search Strategy

Computer-based searches were undertaken to locate papers investigating speech impairment during the past 10 years. The databases included in the search are presented in Table 1. This selection of databases was designed to capture the publications in which papers relevant to the investigation were most likely to be published. Identical searches were undertaken in each database. Following the computer-based search, references of identified papers were scanned for further papers that might be relevant to the review.

[Insert Table 1 about here]

Search Terms

A multi-layered search strategy was employed in the computer-based searches to identify relevant papers. Initially, limits were put in place to restrict the search to scholarly papers (i.e. peer-reviewed) published in a ten year period between January 1998 and August 2008. A combination of terms referring to speech impairment was used in an attempt to capture the most relevant papers. These terms incorporated those most commonly used to refer to speech impairment, including articulation and phonology (Shriberg, Tomblin & McSweeny, 1999). Search terms are presented in Table 1. Truncation was used to eliminate the possibility of papers being overlooked due to

morphological differences in terms. All fields were searched, and the search result contained 7,190 articles.

The first 100 titles were scanned, and papers were found in which speech impairment occurred in association with other conditions. Further limitations were put in place to reduce the likelihood of other conditions influencing reported outcomes. The participants in the articles were required to have speech impairment of unknown origin (i.e. not a result of neurological or other medical conditions), speech impairment as the sole or primary impairment experienced by the participants, and have first presented in childhood (0-6 years). A list of exclusionary terms was developed to refine the search (see Table 1). This refined search resulted in 4,172 articles, hereafter referred to as the “base search.”

In order to identify the papers within this base search that examined the association between speech impairment and Participation Restrictions, domains and definitions from each chapter of the Activities and Participation component of the ICF (WHO, 2001) were utilised as search terms (see Table 2). A separate search was performed for each chapter using the listed terms. Results from these searches were individually combined with the base search to identify potential papers relevant to each chapter. These results are presented in Table 2.

Titles and abstracts of papers were examined to exclude papers considered outside the scope of this review. Papers were excluded on the basis of type (e.g., discussion and review papers) or purpose (e.g., tool validation or intervention studies). Additionally, papers were excluded when the participant group had co-occurring conditions that had not been previously excluded, or presented with non speech-related conditions (such as dysphagia). For the purpose of this review, studies in which the nature and extent of the speech impairment experienced by the participant group was not defined have been excluded. For instance, the database search revealed a number of papers

published by Dockrell, Lindsay and colleagues investigating self-esteem and behaviour of children with “speech and language difficulties” and their interactions with peers (e.g., Dockrell & Lindsay, 2001; Lindsay, Dockrell, Letchford, & Mackie, 2002; Lindsay, Dockrell, & Mackie, 2008; Lindsay, Dockrell, & Strand, 2007). These papers were excluded from the review as no information was provided about the speech impairment experienced by participants; yet extensive information was provided about their language skills. Other studies in which the participants had co-occurring impairments were retained, when difficulty with producing sounds (articulation) or the use of phonological processes were listed as characteristics of at least some of the group. It is acknowledged that as a result, the findings reported in these studies cannot be attributed to speech impairment alone, and this issue is further discussed in the Limitations section.

Relevant papers were then obtained and the reference lists were searched manually for additional papers. The final tally of papers reviewed for each chapter of the Activities and Participation component of the ICF (WHO, 2001) is presented in Table 2. During the review process, the content of each paper was examined, and codes from the ICF Activities and Participation domains were mapped onto the findings. In this way, the review enabled an examination of the association between speech impairment and Participation Restrictions, guided by the ICF framework (WHO, 2001).

[Insert Table 2 about here]

Results

The search resulted in 57 papers being identified and reviewed as relevant to understanding the association between childhood speech impairment and Participation Restrictions across the lifespan. When the content was examined, domains from six of the nine ICF Activities and Participation chapters (WHO, 2001) could be mapped onto the findings. That is, Activities and Participation as defined in six of the ICF chapters could be found in the reviewed literature investigating speech

impairment. A brief summary is provided in Table 3 and the list of studies is presented in the Appendix. The three areas that were not included were: General tasks and demands, Domestic life and Community, social and civic life. Findings from the 57 eligible studies will be outlined and discussed in greater detail under the relevant domains pertaining to the ICF in the following sections. In each section, the heading is an Activities and Participation chapter from the ICF. When specific domains are discussed, the numbers in brackets correspond to the ICF domain codes.

[Insert Table 3 about here]

Learning and applying knowledge (d1)

The first chapter in the Activities and Participation component of the ICF is Learning and applying knowledge, which is defined as: “learning, applying the knowledge that is learned, thinking, solving problems, and making decisions” (WHO, 2001, p. 125). Thirty-one papers were identified which investigated an association between speech impairment and activities related to learning and applying knowledge (see Appendix).

The reviewed papers differed in terms of research design, such as participant recruitment and characteristics, and the specific skills investigated. For instance, some studies relied on parent/self report to identify past history of speech impairment (e.g., DeThorne et al., 2006; Lewis et al., 2007; Tunick & Pennington, 2002) while others utilised clinical diagnoses (e.g., Carroll & Snowling, 2004; Hauner, Shriberg, Kwiatkowski & Chad, 2005; Lewis, Freebairn, Hansen, Iyengar & Taylor, 2004). Some employed control groups with a history of typical speech acquisition (e.g., DeThorne et al., 2006; Gernand & Moran, 2007; Larrivee & Catts, 1999; McGrath et al., 2008; Ozcebe & Belgin, 2005; Pershey & Clickner, 2007; Preston & Edwards, 2007; Sutherland & Gillon, 2007), others compared subgroups of speech impairment (e.g., Hauner et al., 2005; Leitão & Fletcher, 2004; Lewis, Freebairn & Taylor, 2000; Lewis et al., 2004; Raitano et al., 2004), while some

reported results from control groups and subgroups (e.g., Bishop & Clarkson, 2003; Holm, Farrier & Dodd, 2008; Nathan, Stackhouse, Goulandris & Snowling, 2004b; Rvachew, 2007). Many of the studies investigated reading, or reading related skills (such as phonological awareness). A small number investigated spelling and/or writing, thinking and attention, and calculation (maths) skills. Results from these investigations are briefly outlined below.

Learning to read (d140) and Reading (d166)

Learning to read is preceded by the development of decoding or phonological awareness skills (such as the ability to think about and manipulate sounds in words). Comprehension of written material requires efficient decoding skills (Leitão, 2002). Findings from the systematic review indicated that individuals with a speech impairment may have associated difficulties with phonological awareness/processing skills and reading (Carroll & Snowling, 2004; Gernand & Moran, 2007; Holm et al., 2008; Pershey & Clickner, 2007; Rvachew, Ohberg & Grawburg, 2003), and these skills may continue to be affected into adulthood (Lewis et al., 2007; Preston & Edwards, 2007). However, the difficulties appeared to be related to the particular phonological processing skills being assessed, and varied according to individual profiles (Hesketh, 2004; Hesketh, Adams & Nightingale, 2000; Holm et al., 2008).

A range of factors appeared to influence the risk of developing such difficulties. Individuals with speech impairment may be at increased risk of reading difficulties when the speech impairment co-occurs with a language impairment (Larrivee & Catts, 1999; Lewis et al., 2007; Lewis et al., 2000; Nathan et al., 2004a; Raitano et al., 2004; Sices, Taylor, Freebairn, Hansen & Lewis, 2007; Young et al., 2002), or poor phonological awareness/processing skills (Hesketh, 2004; Larrivee & Catts, 1999; Nathan et al., 2004b; Rvachew, 2007). Individuals with speech impairment were also at greater risk if their speech impairment persisted into school-age (Nathan et al., 2004a; Preston & Edwards, 2007; Young et al., 2002) and/or was characterised by non-developmental speech errors

(Leitão & Fletcher, 2004). Children with apraxia of speech were also at increased risk (Lewis et al., 2004). Larrivee and Catts (1999) reported that increased severity of speech impairment was a risk factor; however, Sices et al. (2007) found language status, rather than severity, related to reading and writing skills.

Learning to write (d145) and Writing (d170)

Learning to write involves the development of adequate spelling and grammatical knowledge as well as fine motor skills. Results from this systematic review indicated that difficulties with spelling and writing may be associated with speech impairment in childhood (Lewis, Freebairn, & Taylor, 2002). However, the risk of developing such difficulties again appeared to be influenced by factors such as the persistence of the speech impairment (Nathan et al., 2004b), the type of speech impairment (Holm, et al., 2008; Leitão & Fletcher, 2004), and the co-occurrence of language impairment (Bishop & Clarkson, 2003; Lewis et al., 2000). For instance, Bishop and Clarkson (2003) found that “children with pure speech difficulties did not have any evidence of written language problems,” but most children (aged 7-13 years) with combined speech and language difficulties were “functionally illiterate” (p.231).

Teverovsky, Bickel and Feldman (2009) reported the results of a survey distributed among parents of children with childhood apraxia of speech. They asked parents to identify functional difficulties that their children experienced from a given list, which corresponded to items from the Body Functions and Structures, and Activities and Participation components of the ICF – Children and Youth (ICF-CY; World Health Organization, 2007). Learning to write was one of the most commonly reported areas of difficulty with almost half (49%) of the parents reporting that their child had difficulty with this Activity (Teverovsky et al., 2009).

Focussing Attention (d160) and Thinking (d163)

Results from this systematic review indicated that children with speech impairment may also experience difficulty with attention and thinking, although the relationship between the two is unclear. McGrath et al. (2008) reported attention deficits were higher when participants had co-occurring speech and language impairment, even when the speech impairment had resolved. In contrast, Snowling, Bishop, Stothard, Chipchase and Kaplan (2006) found attention difficulties did not persist in children with resolved speech impairment. Ozcebe and Belgin (2005) found information processing skills, thinking, reasoning, and memory appeared to be most affected when the speech impairment was characterised by multiple speech sound errors. In contrast, Hauner et al. (2005) suggested that decreased task persistence/attention, when combined with negative affect and negative emotionality/mood, “may act to increase the severity of speech delay as well as to impede normalization rates” (p. 645).

Calculating (d172)

Mathematical computational skills have been found to be associated with mastery of phonological processing skills, including phonological memory and phonological awareness (Hecht, Torgesen, Wagner & Rashotte, 2001). Calculating may be associated with speech impairment given the link between speech impairment and phonological processing skills. Nathan et al. (2004b) found children with persisting speech difficulties were significantly different to matched controls in maths skills at age 7 years, although there was no statistical difference between children with resolved speech and the control group. This impact may be due to an underlying difficulty with symbol representation (affecting both numerals and letters), storage and retrieval (Hecht et al., 2001).

Communication (d3)

The third chapter in the Activities and Participation component of the ICF is communication, which is defined as: “general and specific features of communicating by language, signs and symbols, including receiving and producing messages, carrying on conversations, and using communication

devices and techniques” (WHO, 2001, p. 133). There were 14 studies that investigated the association between speech impairment and other communication skills. These were studies by Bishop and Clarkson (2003), Glogowska, Roulstone, Peters and Enderby (2006), Hansson, Nettelbladt and Nilholm (2000), Haskill and Tyler (2007), Hauner et al. (2005), Leitão et al. (2000), Lewis et al. (2002; 2004; 2007), Nathan (2002), Nathan, Stackhouse and Goulandris (1998), Pershey and Clickner (2007), Teverovsky et al. (2009), and Yont, Hewitt and Miccio (2002). Many of the communication skills investigated in the reviewed papers are covered in other Activities and Participation chapters (e.g., Interpersonal interactions and relationships) (see Appendix).

A speech impairment, affecting the production of sounds, may be associated with other communication impairments. These impairments may persist beyond early childhood, as evidenced by studies of individuals (Glogowska, Roulstone, Peters, & Enderby, 2006) and family members (Lewis et al., 2007). Findings from this review indicated that speech impairment may be associated with language production difficulties, including the development of morphosyntactic skills (Haskill & Tyler, 2007). However, language output (number of utterances and vocabulary) appeared to be influenced by the conversational partner (Hansson, Nettelbladt & Nilholm, 2000). Conversation and discussion were reported to be difficult for children with apraxia (Teverovsky et al., 2009), and for children with speech impairment with psychosocial involvement (Hauner et al., 2005). Speech impairment may be associated with breakdowns in conversation due to phonological errors and reduced intelligibility (Yont, Hewitt & Miccio, 2002), and may be associated with social communication difficulties (e.g., communicative coherence, use of conversational context) according to teacher/speech-language therapist report (Nathan, 2002). Furthermore, children with speech and language impairment appeared to have greater difficulties with speech processing (Nathan et al., 1998).

Mobility (d4)

The fourth chapter in the Activities and Participation component of the ICF is mobility, which is defined as: “moving by changing body position or location or by transferring from one place to another, by carrying, moving or manipulating objects, by walking, running or climbing, and by using various forms of transportation” (WHO, 2001, p. 138). Five studies were identified that investigated an association between speech impairment and activities related to mobility. These were studies by Gaines and Missiuna (2006), McCabe, Rosenthal and McLeod (1998), Newmeyer et al. (2007), Teverovsky et al. (2009) and Visscher, Houwen, Scherder, Moolenaar and Hartman (2007).

These studies differed in terms of the type of speech impairment experienced by participants (e.g., childhood apraxia of speech, speech impairment) and the research design (e.g., file audit, parent questionnaire). Results indicated that childhood apraxia of speech may be associated with limb apraxia / clumsiness / awkwardness (McCabe et al., 1998), difficulty with fine motor skills (Newmeyer et al., 2007; Teverovsky et al., 2009), and difficulty walking (Teverovsky et al., 2009). There is an association between children with speech and/or language difficulties and motor difficulties affecting manual dexterity, ball skills and balance (Gaines & Missiuna, 2006; Visscher, et al., 2007). These studies indicate that the skills of children with speech impairment may be affected to a greater extent than those with language impairment (Visscher et al., 2007). However, comparison to a control group was not made in these studies, which limits the possibility of making claims about causation. Visscher and colleagues (2007) made an interesting observation by stating that communication difficulties may impact on social acceptance and play with peers, which in turn may affect learning and practice of motor skills during play activities.

Self Care (d5)

The fifth chapter in the Activities and Participation component of the ICF is Self care, which is defined as: “caring for one’s self, washing and drying oneself, caring for one’s body and body parts, dressing, eating and drinking, and looking after one’s health” (WHO, 2001, p.149). One study was identified that investigated the association between speech impairment and activities related to self care (Gaines & Missiuna, 2006). Findings of this study suggested an association between speech (and/or language) impairment and parental report of self-care skills, but the specific skills were not discussed. However, the study utilised a small, convenience sample and lacked a control group; thus further investigation of the co-occurrence of both impairments is needed to investigate the relationship between the two.

Interpersonal interactions and relationships (d7)

The seventh chapter in the Activities and Participation component of the ICF is interpersonal interactions and relationships, which is defined as: “carrying out the actions and tasks required for basic and complex interactions with people (strangers, friends, relatives, family members and lovers) in a contextually and socially appropriate manner” (WHO, 2001, p. 159). Fifteen papers were identified which investigated the association between speech impairment and activities related to interpersonal interactions and relationships (see Appendix).

These papers differed in terms of the types of speech impairment (and co-occurrence with language impairment), and relationships being investigated. Data collection methods also varied across studies as some examined conversational transcripts (e.g., Hansson et al., 2000), others employed parent and/or teacher questionnaires (e.g., Marshall, Ralph & Palmer, 2002; Overby, Carrell & Bernthal, 2007; Teverovsky et al., 2009), others used rating scales (e.g., McCabe, 2005; Perry-Carson, Carson, Klee & Jackman-Brown, 2007; Wink, Rosanowski, Hoppe, Eysholdt & Grassel,

2007), and some conducted interviews and/or focus groups (e.g., Barr, McLeod & Daniel, 2008; Glogowska & Campbell, 2000; Markham & Dean, 2006; McLeod & Daniel, 2005). However, they all indicated that a speech impairment may be associated with limitations in forming and maintaining interpersonal relationships as outlined below.

Relating with persons in authority (d7400)

Findings from this systematic review indicated that speech impairment may be associated with limitations in formal relationships, specifically teacher-child relationships. This may be in terms of teacher expectations regarding the children's skills (Overby et al., 2007) or in terms of teacher's feelings about teaching these children (Marshall et al., 2002). Overby et al. (2007) found "recurring descriptive statements by 31.1% of the teachers directly attributed the child's academic, social, and/or behavioral difficulties to the child's speech skills" (Overby et al., 2007, p. 334). They reported teachers expected children with moderately intelligible speech to struggle at school, especially in relation to literacy (major delays) and social skills (shyness/timidity). Marshall and colleagues (2002) found trainee teachers did not feel positive or competent teaching children with speech and/or language difficulty, although this depended on the severity of the difficulty. It may be that such attitudes and expectations influence the interactions between teachers and these children.

Informal relationships with friends/peers (d7500 / d7504)

Speech impairment may be associated with difficulties interacting with, and developing relationships with peers. However, it is not possible to make conclusive statements regarding the impact of speech impairment in isolation as much of the research in this area investigates children with co-occurring speech and language difficulties. Children with a history of speech and language impairment were reported to experience higher rates of social difficulties at follow-up and lower social competence ratings compared to a control group (Glogowska et al., 2006; McCabe, 2005). Additionally, individuals with speech and language difficulties rated themselves with low peer self-

concept, which related to their self-perceptions of their ability to make friends and their popularity with peers (Robertson, Harding & Morrison, 1998). However, participants in this sample were bilingual, and the authors suggested that language, rather than speech, may have been the greater area of concern.

Hansson et al. (2000) found dialogues between children with speech and language difficulties and their peers were more symmetrical than those with adults (parents or clinicians). That is, in conversations with peers, both participants contributed equally to the dialogue. However, the children were more productive in their interactions with adults. The authors suggest that this may be due to adults encouraging the children's attempts at communication and making more effort to understand these attempts (Hansson et al., 2000).

Parent-child relationships (d7600)

A number of studies have reported the association between speech and language impairments and parent-child relationships. Firstly, the association between speech and language impairments and parent-child interactions was reported in a study by Perry-Carson et al. (2007). They found that parents of young children with speech and language impairment characterised themselves as being less nurturing, and their children as being more detached and underreactive (Perry-Carson et al., 2007). Children with speech impairment in isolation were excluded from the study due to limited numbers, so it is only possible to conclude that co-occurring speech and language impairment appeared to influence the parenting behaviour and quality of interactions among parents and their children.

The association between speech impairment and parent-child interactions may also be expressed in terms of parental concern and anxiety for their children's social and academic success (Glogowska & Campbell, 2000; Markham & Dean, 2006), or parental feelings of frustration at associated

behaviour problems, and subsequent guilt at this frustration (McLeod & Daniel, 2005). Additionally, the impact may be reflected in parental health status, as mothers of children with speech impairment have been found to have lower scores on Health-related Quality of Life (including physical functioning, general health, vitality, and social functioning) in comparison to a control group (Rudolph, Kummer, Eysholdt & Rosanowski, 2005), and were significantly more likely to meet criteria for emotional disorders (namely anxiety and depression) (Rudolph, Rosanowski, Eysholdt & Kummer, 2003; Wink et al., 2007). Furthermore, Wink and colleagues (2007) found a high correlation between the presence of these emotional disorders and the perception of subjective burden of being a caregiver. However, they acknowledged difficulty associated with interpreting such results as it is unclear whether the child's speech impairment may have influenced the well-being of the mother, or the mother's well-being may have affected the speech development of the child (Rudolph et al., 2005). Recent research has found maternal well-being to be a protective factor in relation to expressive and receptive speech and language concerns among preschool children (Harrison & McLeod, 2008).

Sibling relationships (d7602)

Speech impairment may also be associated with demands on sibling relationships (Barr et al., 2008; McLeod & Daniel, 2005). For instance, Barr et al. (2008) found siblings reported a need to protect the child with the speech impairment from potential bullying and to interpret their needs when others could not understand their speech. In contrast, siblings also reported feelings of jealousy and resentment, possibly due to the reduced parental attention they received in comparison to the child with the speech impairment.

Major life areas (d8)

The eighth chapter in the Activities and Participation component of the ICF is Major life areas, which is defined as: "carrying out the tasks and actions required to engage in education, work and

employment and to conduct economic transactions” (WHO, 2001, p. 164). Six studies were identified which investigated the association between speech impairment and activities associated with major life areas, specifically, school education and acquiring, keeping and terminating a job (see Appendix: Allard & Williams, 2008; Marshall et al., 2002; Mitchell, McMahon & McKee, 2005; Robertson et al., 1998; Ross, Neeley & Baggs, 2007; Snowling, Adams, Bishop & Stothard, 2001).

School education (d820)

For most children living in Western countries, school forms a major life area for a number of years. Education is seen by many to be essential for future success and thus achievement at school is highly desirable. However, parents and teachers of children with speech impairment (with or without co-occurring language impairment) have expressed concern about the training provided to teachers and the resources available to assist the education of these children (Marshall et al., 2002). Consequently, there is concern that these children may experience some difficulty with academic achievement.

It has already been shown in this paper that children who enter school with persisting speech difficulties (moderate-severe) are at increased risk of literacy problems (e.g., Leitão et al., 2000). It is also clear that these children may have difficulty with peer and formal (teacher) interactions at school (e.g., McCabe, 2005; Overby et al., 2007). Other studies have investigated the association between children with speech and language impairment and behaviours requiring discipline infractions (e.g., Ross et al., 2007) and the individual’s resilience (Robertson et al., 1998). This review found no evidence that speech impairment (in the absence of language impairment) is associated with discipline/conduct disorders; however, students with speech and/or language impairment are reportedly at risk for school drop-out as they reported feeling less connected to school (Robertson et al., 1998). Snowling et al. (2001) reported the majority of adolescents with a

history of speech and/or language impairment remained in full-time education, although they were more likely to complete vocational and employment training than complete higher years of schooling (Snowling et al., 2001).

Acquiring, keeping and terminating a job (d845)

Communication disorders have been associated with high rates of unemployment (Ruben, 2000). Allard and Williams (2008) found a speaker with an articulation disorder was rated less employable than a speaker without a disorder by a group of 455 adults. They concluded that “negative stereotypes exist toward individuals with speech and language disorders” (Allard & Williams, 2008, p.118). Mitchell et al. (2005) examined allegations of workplace discrimination related to speech impairment in comparison to allegations related to orthopaedic or visual impairments. They found the most frequent allegation issues for people with speech impairment related to discharge (25%), harassment (12%) and hiring (12%). The comparative percentages for harassment and hiring were significantly less for people with orthopaedic or visual impairments (Mitchell et al., 2005).

Limitations

There were two major limitations to this systematic review that warrant further discussion. Firstly, the terminology used in the reviewed studies was inconsistent. For instance, some studies referred to articulation delay, some to speech impairment, and some to phonological impairment. It is unclear if these terms refer to identical, similar or different phenomenon. The lack of consistent definitions is a major issue within the speech-language pathology profession (Walsh, 2005). Until the definitions become standardised, it is difficult to make comparisons between studies, and to make conclusions about the association between specific communication impairments (e.g., speech impairment) and participation in life activities.

In this review, efforts were made to ensure that speech impairment was one of the main phenomena under investigation in the reviewed studies. That is, studies were included when at least some of the participants were explicitly described as having difficulty with producing sounds (articulation) or the use of phonological processes. In most of the cited studies, a distinction between articulation and phonological-based impairments was not made. It is acknowledged that phonology is often considered a part of language, and therefore participants with phonological-based impairments may experience speech *and* language impairments. In such instances, it is not possible to isolate the association between the presenting speech impairment and the identified Participation Restrictions. The same is true when participants presented with identified, co-occurring speech and language impairments. In this review, a decision was made to include studies investigating different participant groups - some with speech impairment in isolation and others with co-occurring speech and language impairment - when the speech impairment was explicitly described (as above). It is recognised that the inclusion of both groups of participants is a second limitation of this review. However, it is also recognised that individuals with speech impairment are a heterogenous group. In some instances, the speech impairment experienced by participants may be associated with a yet undiagnosed cause. In other cases, Environmental Factors (e.g., support/attitudes of their significant others, access to services) or Personal Factors (e.g., temperament, age) may also contribute to the Participation Restrictions experienced.

Due to the unique factors that contribute to each participant's life and the variable nature of speech impairment itself, it will never be possible to remove all confounding variables in order to research a group with identical characteristics - individual variation will always exist. However, future research could investigate some of the factors that may contribute to this individual variation. The ICF (WHO, 2001) provides a starting point for such research. For instance, researchers could develop a system to classify severity of speech impairment (e.g., mild, moderate, etc.) using the quantifiers from the Body Functions and Structures component, and investigate the association

between severity and Participation Restrictions; researchers could develop assessment tools incorporating the domains from the Activity and Participation component and administer these with participants and/or their significant others to investigate their perceptions of Participation Restrictions associated with speech impairment, or to investigate the three domains not identified in previous research (General tasks and demands, Domestic life and Community, social and civic life); alternatively, researchers could investigate specific Environmental Factors such as the perceptions and attitudes of others towards individuals with speech impairment, or Personal Factors such as social upbringing and family history of speech impairment, to examine the association between these variables and participation in life activities.

Conclusion

The preceding review indicated that speech impairment may be associated with limitations in Activities defined in at least 6 of the 9 Activities and Participation chapters of the ICF (WHO, 2001). These include: Learning to read/reading, Learning to write/writing, Attention and thinking, Calculating, Communication, Mobility, Relating to persons in authority, Informal relationships with friends/peers, Parent-child relationships, Sibling relationships, School education and Acquiring, keeping and terminating a job. The three ICF chapters that were not associated with speech impairment were: General tasks and demands, Domestic life and Community, social and civic life; however, this may be due to the fact that to date no-one has studied potential associations. It is not possible to make conclusions about the nature of the association between speech impairment and these activities. That is, it is unclear whether experiencing a speech impairment causes or increases the likelihood of these Participation Restrictions. Furthermore, it is unclear what role other factors (Environmental and Personal Factors) play in facilitating or acting as barriers to success in these activities. Ongoing research will continue to inform speech-language pathologists of the nature of the association between speech impairment and life activities, and the contribution of other factors. However, the findings of this review show the need for holistic consideration of individuals with

speech impairment, and support the use of a framework such as the ICF (WHO, 2001) as a means to do this.

References

- Allard, E. R., & Williams, D. F. (2008). Listeners' perceptions of speech and language disorders. *Journal of Communication Disorders, 41*(2), 108-123.
- Barr, J., McLeod, S., & Daniel, G. (2008). Siblings of children with speech impairments: Cavalry on the hill. *Language, Speech, and Hearing Services in Schools, 39*, 21-32.
- Bishop, D. V. M., & Clarkson, B. (2003). Written language as a window into residual language deficits: A study of children with persistent and residual speech and language impairments. *Cortex: A Journal Devoted to the Study of the Nervous System and Behavior, 39*(2), 215-237.
- Broomfield, J., & Dodd, B. (2004). The nature of referred subtypes of primary speech disability. *Child Language Teaching and Therapy, 20*(2), 135-151.
- Byles, K. (2005). The epidemiology of communication and swallowing disorders. *Advances in Speech-Language Pathology, 7*, 1-7.
- Carroll, J. M., & Snowling, M. J. (2004). Language and phonological skills in children at high risk of reading difficulties. *Journal of Child Psychology and Psychiatry, 45*(3), 631-640.
- DeThorne, L. S., Hart, S. A., Petrill, S. A., Deater-Deckard, K., Thompson, L. A., Schatschneider, C. & Davison, M. D. (2006). Children's history of speech-language difficulties: Genetic influences and associations with reading-related measures. *Journal of Speech, Language, and Hearing Research, 49*(6), 1280-1293.
- Dockrell, J. E., & Lindsay, G. (2001). Children with specific speech and language difficulties: The teachers' perspectives. *Oxford Review of Education, 27*, 369-394.
- Felsenfeld, S., Broen, P. A., & McGue, M. (1992). A 28-year follow-up of adults with a history of moderate phonological disorder: Linguistic and personality results. *Journal of Speech and Hearing Research, 35*(5), 1114-1125.

- Felsenfeld, S., Broen, P. A., & McGue, M. (1994). A 28-year follow up of adults with a history of moderate phonological disorder: Educational and occupational results. *Journal of Speech and Hearing Research, 37*, 1341-1353.
- Felsenfeld, S., McGue, M., & Broen, P. A. (1995). Familial aggregation of phonological disorders: Results from a 28-year follow-up. *Journal of Speech and Hearing Research, 38*(5), 1091-1107.
- Gaines, R., & Missiuna, C. (2006). Early identification: Are speech/language-impaired toddlers at increased risk for developmental coordination disorder. *Child: Care, Health and Development, 33*(3), 325-332.
- Gernand, K. L., & Moran, M. J. (2007). Phonological awareness abilities of 6-year-old children with mild to moderate phonological impairments. *Communication Disorders Quarterly, 28*(4), 206-215.
- Glogowska, M., & Campbell, R. (2000). Investigating parental views of involvement in pre-school speech and language therapy. *International Journal of Language and Communication Disorders, 35*(3), 391-405.
- Glogowska, M., Roulstone, S., Peters, T. J., & Enderby, P. (2006). Early speech- and language-impaired children: linguistic, literacy, and social outcomes. *Developmental Medicine and Child Neurology, 48*, 489-494.
- Hansson, K., Nettelbladt, U., & Nilholm, C. (2000). Contextual influence on the language production of children with speech/language impairment. *International Journal of Language and Communication Disorders, 35*(1), 31-47.
- Harrison, L. J. & McLeod, S. (in review). Risk factors for speech and language impairment in a nationally representative sample of 4 to 5-year-old children.
- Haskill, A. M., & Tyler, A. A. (2007). A comparison of linguistic profiles in subgroups of children with specific language impairment. *American Journal of Speech-Language Pathology, 16*(3), 209-221.

- Hauner, K. Y., Shriberg, L. D., Kwiatkowski, J., & Allen, C. T. (2005). A subtype of speech delay associated with developmental psychosocial involvement. *Journal of Speech, Language, and Hearing Research, 48*(3), 635-650.
- Hecht, S. A., Torgesen, J. K., Wagner, R. K., & Rashotte, C. A. (2001). The relations between phonological processing abilities and emerging individual differences in mathematical computational skills: A longitudinal study from second to fifth grades. *Journal of Experimental Child Psychology, 79*, 192-227.
- Hesketh, A. (2004). Early literacy achievement of children with a history of speech problems. *International Journal of Language and Communication Disorders, 39*, 453-468.
- Hesketh, A., Adams, C. & Nightingale, C. (2000). Metaphonological abilities of phonologically disordered children. *Educational Psychology, 20*(4), 483-498.
- Holm, A., Farrier, F., & Dodd, B. (2008). Phonological awareness, reading accuracy and spelling ability of children with inconsistent phonological disorder. *International Journal of Language and Communication Disorders, 43*(3), 300-322.
- Jessup, B., Ward, E., Cahill, L., & Keating, D. (2008). Prevalence of speech and/or language impairment in preparatory students in northern Tasmania. *International Journal of Speech-Language Pathology, 10*(5), 364- 377.
- Joffe, V., & Pring, T. (2008). Children with phonological problems: A survey of clinical practice. *International Journal of Language and Communication Disorders, 43*(2), 154-164.
- Larrivee, L. S., & Catts, H. W. (1999). Early reading achievement in children with expressive phonological disorders. *American Journal of Speech-Language Pathology, 8*, 118-128.
- Law, J., Boyle, J., Harris, F., Harkness, A., & Nye, C. (1998). Screening for speech and language delay: A systematic review of the literature. *Health Technology and Assessment, 2*(9), 1-183.

- Law, J., Boyle, J., Harris, F., Harkness, A., & Nye, C. (2000). Prevalence and natural history of primary speech and language delay: Findings from a systematic review of the literature. *International Journal of Language & Communication Disorders, 35*(2), 165-188.
- Leitão, S. (2002). Learning to read. *ACQuiring Knowledge in Speech, Language and Hearing, 4*(3), 129-131.
- Leitão, S., & Fletcher, J. (2004). Literacy outcomes for students with speech impairment: Long-term follow-up. *International Journal of Language and Communication Disorders, 39*, 245-256.
- Leitão, S., Fletcher, J., & Hogben, J. (2000). Speech impairment and literacy difficulties: Underlying links. *The Australian Educational and Developmental Psychologist, 17*(1), 63-75.
- Lewis, B. A., Freebairn, L. A., Hansen, A. J., Iyengar, S. K., & Taylor, H. G. (2004). School-age follow-up of children with childhood apraxia of speech. *Language, Speech, and Hearing Services in Schools, 35*(2), 122-140.
- Lewis, B. A., Freebairn, L. A., Hansen, A. J., Miscimarra, L., Iyengar, S. K., & Taylor, H. G. (2007). Speech and language skills of parents of children with speech sound disorders. *American Journal of Speech-Language Pathology, 16*(2), 108-118.
- Lewis, B. A., Freebairn, L. A., & Taylor, H. G. (2000). Follow-up of children with early expressive phonology disorders. *Journal of Learning Disabilities, 33*(5), 433-444.
- Lewis, B. A., Freebairn, L. A., & Taylor, H. G. (2002). Correlates of spelling abilities in children with early speech sound disorders. *Reading and Writing: An Interdisciplinary Journal, 15*, 389-407.
- Lindsay, G., Dockrell, J., Letchford, B., & Mackie, C. (2002). Self esteem of children with specific speech and language difficulties. *Child Language Teaching and Therapy, 18*(2), 125-143.

- Lindsay, G., Dockrell, J. E., & Mackie, C. (2008). Vulnerability to bullying in children with a history of specific speech and language difficulties. *European Journal of Special Needs Education, 23*(1), 1-16.
- Lindsay, G., Dockrell, J. E., & Strand, S. (2007). Longitudinal patterns of behaviour problems in children with specific speech and language difficulties: Child and contextual factors. *British Journal of Educational Psychology, 77*(4), 811-828.
- Markham, C., & Dean, T. (2006). Parents' and professionals' perceptions of Quality of Life in children with speech and language difficulty. *International Journal of Language and Communication Disorders, 41*(2), 189 - 212.
- Marshall, J., Ralph, S., & Palmer, S. (2002). "I wasn't trained to work with them': mainstream teachers' attitudes to children with speech and language difficulties. *International Journal of Inclusive Education, 6*(3), 199-215.
- McCabe, P. (2005). Social and behavioural correlates of preschoolers with specific language impairment. *Psychology in the Schools, 42*(4), 373-387.
- McCabe, P., Rosenthal, J., & McLeod, S. (1998). Features of developmental dyspraxia in the speech-impaired population? *Clinical Linguistics and Phonetics, 12*, 105-126.
- McGrath, L. M., Hutaff-Lee, C., Scott, A., Boada, R., Shriberg, L. D., & Pennington, B. F. (2008). Children with comorbid speech sound disorder and specific language impairment are at increased risk for attention deficit/hyperactivity disorder. *Journal of Abnormal Child Psychology, 36*(3), 151-163.
- McKinnon, D. H., McLeod, S., & Reilly, S. (2007). The prevalence of stuttering, voice and speech-sound disorders in primary school students in Australia. *Language, Speech, and Hearing Services in Schools, 38*(1), 5-15.
- McLeod, S., & Baker, E. (2004). Current clinical practice for children with speech impairment. In B. E. Murdoch, J. Goozee, B. M. Whelan & K. Docking (Eds.), *Proceedings of the 26th*

World Congress of the International Association of Logopedics and Phoniatrics. Brisbane: University of Queensland.

McLeod, S., & Daniel, G. (2005, November). *Application of the Mosaic approach for developing respectful relationships with children with communication impairments*. Paper presented at the Centre for Equity and Innovation in Early Childhood (CEIEC). Honouring the child honouring equity 5: Reconsidering rights and relationships, Melbourne.

McLeod, S. & Harrison, L. J. (2009). *Epidemiology of speech and language impairment in a nationally representative sample of 4 to 5-year-old children*. Manuscript submitted for publication.

McLeod, S., & McCormack, J. (2007). Application of the ICF and ICF-Children and Youth in children with speech impairment. *Seminars in Speech and Language*, 28, 254-264.

Mitchell, P. R., McMahon, B. T., & McKee, D. (2005). Speech impairment and workplace discrimination: The national EEOC ADA research project. *Journal of Vocational Rehabilitation*, 23(3), 163-169.

Nathan, L. (2002). Functional communication skills of children with speech difficulties: Performance on Bishop's Children's Communication Checklist. *Child Language Teaching and Therapy*, 18(3), 213-231.

Nathan, L., Stackhouse, J., & Goulandris, N. (1998). Speech processing abilities in children with speech vs speech and language difficulties. *International Journal of Language and Communication Disorders*, 33(Supplement), 457-463.

Nathan, L., Stackhouse, J., Goulandris, N., & Snowling, M. J. (2004a). The development of early literacy skills among children with speech difficulties: A test of the "critical age hypothesis". *Journal of Speech, Language, and Hearing Research*, 47(2), 377-391.

Nathan, L., Stackhouse, J., Goulandris, N., & Snowling, M. J. (2004b). Educational consequences of developmental speech disorder: Key Stage 1 National Curriculum assessment results in English and mathematics. *British Journal of Educational Psychology*, 74, 173-186.

- Newmeyer, A. J., Grether, S., Grasha, C., White, J., Akers, R., Aylward, C., Ishikawa, K. & deGrauw, T. (2007). Fine motor function and oral-motor imitation skills in preschool-age children with speech-sound disorders. *Clinical Pediatrics*, 46(7), 604-611.
- Overby, M., Carrell, T., & Bernthal, J. (2007). Teachers' perceptions of students with speech sound disorders: A quantitative and qualitative analysis. *Language, Speech, and Hearing Services in Schools*, 38, 327-341.
- Ozcebe, E., & Belgin, E. (2005). Assessment of information processing in children with functional articulation disorders. *International Journal of Pediatric Otorhinolaryngology*, 69(2), 221-228.
- Perry-Carson, C. K., Carson, D. K., Klee, T., & Jackman-Brown, J. (2007). Self-reported parenting behavior and child temperament in families of toddlers with and without speech-language Delay. *Communication Disorders Quarterly*, 28(3), 155-165.
- Pershey, M. G., & Clickner, P. A. (2007). Phonological awareness and working memory in children with phonological impairment. *College Reading Association Yearbook*, 28, 170-183.
- Preston, J. L., & Edwards, M. (2007). Phonological processing skills of adolescents with residual speech sound errors. *Language, Speech, and Hearing Services in Schools*, 38(4), 297-308.
- Raitano, N. A., Pennington, B. F., Tunick, R. A., Boada, R., & Shriberg, L. D. (2004). Pre-literacy skills of subgroups of children with speech sound disorders. *Journal of Child Psychology and Psychiatry*, 45(4), 821-835.
- Reed, G. M., Lux, J. B., Bufka, L. F., Trask, C., Peterson, D. B., Stark, S., Threats, T. T., Jacobson, J. W., & Hawley, J. A. (2005). Operationalizing the International Classification of Functioning, Disability and Health in clinical settings. *Rehabilitation Psychology*, 50(2), 122-131.
- Robertson, L. M., Harding, M. S., & Morrison, G. M. (1998). A comparison of resilience indicators among Latino/a students: Differences between students identified as at-risk, learning

disabled, speech impaired and not at-risk. *Education and Treatment of Children*, 21(3), 333-354.

Ross, K. S., Neeley, R. A., & Baggs, T. W. (2007). The relationship between discipline infractions and communication disorders in public school students. *Education*, 128(2), 202-210.

Ruben, R. J. (2000). Redefining the survival of the fittest: Communication disorders in the 21st century. *Laryngoscope*, 110, 241-245.

Rudolph, M., Kummer, P., Eysholdt, U., & Rosanowski, F. (2005). Quality of life in mothers of speech impaired children. *Logopedics Phoniatrics Vocology*, 30, 3 - 8.

Rudolph, M., Rosanowski, F., Eysholdt, U., & Kummer, P. (2003). Anxiety and depression in mothers of speech-impaired children. *International Journal of Pediatric Otorhinolaryngology*, 67(12), 1337-1341.

Rvachew, S. (2007). Phonological processing and reading in children with speech sound disorders. *American Journal of Speech-Language Pathology*, 16(3), 260-270.

Rvachew, S., Ohberg, A., Grawberg, M., & Heyding, J. (2003). Phonological awareness and phonemic perception in 4-year-old children with delayed expressive phonology skills. *American Journal of Speech-Language Pathology*, 12(4), 463-471.

Shriberg, L. D., Tomblin, J. B., & McSweeney, J. L. (1999). Prevalence of speech delay in 6-year-old children and comorbidity with language impairment. *Journal of Speech, Language, and Hearing Research*, 42(6), 1461-1481.

Simeonsson, R. J., Carlson, D., Huntington, G. S., McMillen, J. S., & Brent, J. L. (2001). Students with disabilities: A national survey of participation in school activities. *Disability and Rehabilitation*, 23(2), 49-63.

Snowling, M. J., Adams, J. W., Bishop, D. V. M., & Stothard, S. E. (2001). Educational attainments of school leavers with a preschool history of speech-language impairments. *International Journal of Language and Communication Disorders*, 36(2), 173-183.

- Snowling, M. J., Bishop, D. V. M., Stothard, S. E., Chipchase, B., & Kaplan, C. (2006). Psychosocial outcomes at 15 years of children with a preschool history of speech-language impairment. *Journal of Child Psychology and Psychiatry*, 47(8), 759-765.
- Sutherland, D., & Gillon, G. T. (2007). Development of phonological representations and phonological awareness in children with speech impairment. *International Journal of Language and Communication Disorders*, 42(2), 229-250.
- Teverovsky, E. G., Bickel, J. O., & Feldman, H. M. (2009). Functional characteristics of children diagnosed with childhood apraxia of speech. *Disability and Rehabilitation*, 31, 94-102.
- Threats, T. T. (2006). Towards an international framework for communication disorders: Use of the ICF. *Journal of Communication Disorders*, 39, 251-265.
- Threats, T. T., & Worrall, L. (2004). Classifying communication disability using the ICF. *Advances in Speech-Language Pathology*, 6, 53-62.
- Ttofari Eecen, K., Reilly, S., & Eadie, P. (2007, May). *Parent concern and parent report of speech sound development at 12 months of age*. Paper presented at the Speech Pathology Australia National Conference, Sydney, Australia.
- Tunick, R. A., & Pennington, B. F. (2002). The etiological relationship between reading disability and phonological disorder. *Annals of Dyslexia*, 52, 75-97.
- Visscher, C., Houwen, S., Scherder, E. J. A., Moolenaar, B., & Hartman, E. (2007). Motor profile of children with developmental speech and language disorders. *Pediatrics*, 120(1), e158-163.
- Walsh, R. (2005). Meaning and purpose: A conceptual model for speech pathology terminology. *Advances in Speech-Language Pathology*, 7(2), 65-76.
- Wink, M., Rosanowski, F., Hoppe, U., Eysholdt, U., & Grässel, E. (2007). Subjective burden in mothers of speech-impaired children. *Folia Phoniatrica et Logopaedica*, 59(5), 268-272.
- World Health Organization. (2007). *International classification of functioning, disability and health: Children and youth version*. Geneva: World Health Organization.

- World Health Organization. (2001). *ICF: International classification of functioning, disability and health*. Geneva: World Health Organization.
- Yont, K. M., Hewitt, L. E., & Miccio, A. W. (2002). 'What did you say?': Understanding conversational breakdowns in children with speech and language impairments. *Clinical Linguistics and Phonetics*, 16(4), 265-285.
- Young, A. R., Beitchman, J. H., Johnson, C., Douglas, L., Atkinson, L., Escobar, M., & Wilson, B. (2002). Young adult academic outcomes in a longitudinal sample of early identified language impaired and control children. *Journal of Child Psychology and Psychiatry*, 43(5), 635-645.

Appendix: Reviewed studies and the reported areas of difficulty

Author(s)	No. of participants	Age at first testing	Age at follow-up	Description of communication impairment	ICF areas of difficulty*
Chapter 1: Learning and applying knowledge					
Bishop & Clarkson (2003)	75 (+ 161 in control group)	7-13 years	N/A	Specific speech and/or language impairment	Learning to write (spelling) Writing Writing messages ³
Carroll & Snowling (2004)	34 (+ 17 in control group)	Approximately 4-6 years	N/A	Speech impairment	Learning to read (speech processing, phonological learning, phonological awareness)
De Thorne et al. (2006)	248 twin pairs	Mean 6;08 years	N/A	Speech impairment (+/- language impairment)	Learning to read (inc. phonological awareness, word identification)
Gernand & Moran (2007)	12 (+ 12 in control group)	5;11-7;2 years	N/A	Mild-moderate phonological impairment	Learning to read (phonological awareness)
Hauner, Shriberg, Kwiatkowski & Chad (2005)	29 (+ 87 in control group)	3-6 years	N/A	Speech delay (+/- developmental psychosocial involvement)	Attention Conversation ³ (Conversational competence)
Hesketh (2004)	35	3½ - 5 years	Approx 6½ - 7½ years	Moderate-severe speech disorder	Learning to read (phonological awareness)
Hesketh, Adams & Nightingale (2000)	61 (+ 59 in control group)	3½ - 5 years	N/A	Phonological disorder	Learning to read (phonological awareness)
Holm, Farrier & Dodd (2008) [Experiment 1]	46 (+ 15 in control group)	Mean age 5 – 5½ years	N/A	Speech disorder (delayed / consistent errors/ inconsistent)	Learning to read (phonological awareness)
Holm, Farrier & Dodd (2008) [Experiment 2]	9 (+ 9 in control group)	3-5 years	Approx 7½ - 8½ years	Speech disorder (inconsistent)	Learning to write (spelling)
Larrivee & Catts	30 (+ 27 in control group)	5;8 – 7;3 years	N/A	Expressive phonological disorders (speech +/- language impairment)	Reading
Leitão & Fletcher (2004)	14	5-6 years	12-13 years	Specific speech impairment (developmental / non-developmental)	Learning to read (phonological awareness) Spelling Reading (comprehension)

Leitão, Fletcher & Hogben (2000)	21	Approx 5-6 years	Approx 7-8 years	Specific speech impairment (delayed / non-developmental)	Reading Spelling Speaking ³ (residual speech errors)
Lewis, Freebairn, Hansen, Iyengar & Taylor (2004)	39	4-6 years	8-10 years	Speech sound disorder (+/- language impairment) Childhood apraxia of speech	Reading Spelling Speaking ³ (residual speech errors, expressive language) Receiving spoken messages ³ (receptive language skills)
Lewis et al. (2007)	147 parents of children with speech sound disorder	N/A	N/A	Speech sound disorder (+/- language impairment)	Reading Spelling Speech ³ Receptive language Skills ³
Lewis, Freebairn & Taylor (2002)	52	4-6 years	8-11 years	Phonological disorder (+/- language impairment)	Spelling Reading (decoding and comprehension) Speaking ³
Lewis, Freebairn & Taylor (2000)	52	4-6 years	8-11 years	Phonological disorder (+/- language impairment)	Reading Spelling
McGrath et al. (2008)	108 (+ 41 in control group)	4-7 years	N/A	Speech sound disorder (+/- language impairment)	Attention
Nathan, Stackhouse, Goulandris & Snowling (2004a)	28 (+ 19 in control group)	4 years	7 years	Speech difficulty (+/- language impairment)	Learning to read (e.g. phoneme awareness)
Nathan, Stackhouse, Goulandris & Snowling (2004b)	39 (+ 35 in control group)	4-5 years	Mean 6.71 years	Speech difficulty / disorder	Spelling Reading Reading (comprehension) Calculating (maths)
Ozcebe & Belgin (2005)	33 (+ 160 in control group)	6-10 years	N/A	Functional articulation disorder	Thinking (memory, thinking, reasoning and information processing)
Pershey & Clickner (2007)	23 (+ 23 in control group)	6-9 years	N/A	Phonological impairment	Learning to read Reading Spelling Communication ³
Preston & Edwards (2007)	13 (+ 14 in control group)	10-14 years	N/A	Speech sound difficulty (residual errors)	Learning to read (phonological awareness / processing)
Raitano et al. (2004)	101 (+ 41 in control group)	5-6 years	N/A	Speech sound disorder	Learning to read (phonological)

	control group)			(+/- language impairment)	awareness and letter knowledge)
Rvachew (2007)	33 (+ 35 in control group)	4½ - 5½ years	6 – 7½ years	Speech sound disorder	Learning to read (phonological awareness) Reading
Rvachew & Grawburg (2006)	95	Approximately 4-5 ½ years	N/A	Speech sound disorder	Learning to read (phonological awareness)
Rvachew, Ohberg & Grawburg (2003)	13 (+ 13 in control group)	4-5 years	N/A	Severe expressive phonological delay	Learning to read (phonological awareness, phoneme perception)
Sices, Taylor, Freebairn, Hansen & Lewis (2007)	125	3-6 years	N/A	Speech sound disorder (+/- language impairment)	Reading Writing
Snowling, Bishop, Stothard, Chipchase & Kaplan (2006)	71	Approximately 4 years	15-16 years	Speech impairment (+/- language impairment)	Attention
Sutherland & Gillon (2005)	11 (+ 17 in control group)	4-5 years	N/A	Speech difficulty	Learning to read (phonological awareness, phonological representation)
Teverovsky, Bickel & Feldman (2009)	192 parents	Children 2-15 years	N/A	Childhood apraxia of speech	Learning to write Conversation ³ Discussion ³ Fine hand use ⁴ Relating with strangers ⁷ Informal relationships ⁷
Tunick & Pennington (2002)	172 (86 twins)	Approx 11 years	N/A	Reading disorder Phonological disorder	Reading
Young et al. (2002)	109 (+ 120 in control group)	5 years	18-19 years	Speech impairment (+/- language impairment)	Reading

Chapter 3: Communication

Glogowska, Roulstone, Peters & Enderby (2006) ⁷	196 (+ 94 in control group)	Pre-school	7-10 years	Speech and/or language impairment	Speaking Informal social relationships ⁷ Family relationships (parents, siblings) ⁷
Hansson, Nettelbladt & Nilholm (2000)	10 children, parents, clinicians and peers	4-6 years	N/A	Phonological impairment (pervasive phonological processes) OR Language	Speaking (language output) Informal social relationships ⁷ (peer interactions) Formal / family

				impairment	relationships (adult interactions) ⁷
Haskill & Tyler (2007)	63 (+ 20 in control group)	3-5;11 years	N/A	Phonological and language impairment	Speaking (morphosyntactic skills)
Nathan (2002)	10 (+ 10 in control group)	4;66-7;75 years	N/A	Speech difficulty / disorder	Speaking (including language skills) Conversation
Nathan, Stackhouse & Goulandris (1998)	47 (+ 47 in control group)	4-5 years	N/A	Specific speech impairment (+/- language impairment)	Speaking Receiving spoken messages (speech processing)
Yont, Hewitt & Miccio (2002)	12 (+ 12 in control group)	Mean age 4;1 years	N/A	Specific language impairment: Phonological Disorder	Conversation

Chapter 4: Mobility

Gaines & Missiuna (2006)	40	2-5 years	5-7 years	Speech/language impairment	Mobility Self help ⁵
McCabe, Rosenthal & McLeod (1998)	50	2;4-8;8 years	N/A	Articulation and/or phonological impairment	Mobility (limb apraxia, clumsiness)
Newmeyer et al. (2007)	32	2-6 years	N/A	Severe speech sound disorder	Mobility (fine motor skills)
Visscher et al. (2007)	125	6-9 years	N/A	Developmental speech and language disorder	Mobility (fine and gross motor skills)

Chapter 7: Interpersonal interactions and relationships

Barr, McLeod & Daniel (2008)	6 siblings 15 'significant others'	Pre-school / school	N/A	Speech impairment	Sibling relationships
Glogowska & Campbell (2000)	16 parents	Children were pre-school aged	N/A	Speech/language delay	Parent-child relationships
Markham & Dean (2006)	12 SLPs 12 professionals 11 parents	Parents of children aged 2-9 years	N/A	Speech and language difficulty	Parent-child relationships
Marshall, Ralph & Palmer (2002)	268 trainee teachers	-	N/A	Speech and language difficulty	Formal interactions (teachers) School education ⁸
McCabe (2005)	131 (+ 39 in control group)	Approximately 3 ½-5 years	N/A	Speech and/or language impairment	Informal relationships with peers (social skills and behaviour)

McLeod & Daniel (2005)	Reported data from 2 (subsample of larger research study)	Pre-school/ school	N/A	Speech impairment	Parent-child relationships
Overby, Carrell & Bernthal (2007)	48 2 nd grade teachers	Median age of teachers 41;2 years	N/A	Speech impairment (moderate)	Formal interactions (teachers)
Perry-Carson, Carson, Klee & Jackman-Brown (2007)	17 (+ 30 in control group)	Mean approximately 2 ½ years	N/A	Speech and language delay	Parent-child relationships
Robertson, Harding & Morrison (1998)	103 (+ 66 in control group)	School-aged (5th and 6th grades)	N/A	Difficulties in articulation, abnormal voice, fluency or language disorder	Informal relationships with peers School education (resilience) ⁸
Rudolph, Kummer, Eysholdt & Rosanowski (2005)	91	Mothers (22-40 yrs) Children (1-7 yrs)	N/A	Speech (dyslalia) and/or language delay	Parent-child relationships (maternal quality of life)
Rudolph, Rosanowski, Eysholdt & Kummer (2003)	100	Mothers (22-47 yrs) Children (1-8 years)	N/A	Speech impairment (not otherwise defined)	Parent-child relationships (maternal depression)
Wink, Rosanowski, Hoppe, Eysholdt & Grässel (2007)	89	Mothers (19-44 yrs) Children (1-7 years)	N/A	Speech and/or language impairment	Parent-child relationships (maternal depression and anxiety)

Chapter 8: Major life areas

Allard & Williams (2008)	455 adults	18-49 years	N/A	Articulation (lisp), language, fluency, voice disorders	Acquiring, keeping and terminating a job (employability)
Mitchell, McMahon & McKee (2005)	1637 allegations of discrimination	Mean age approx 41 yrs	N/A	Speech impairment (not otherwise defined)	Acquiring, keeping and terminating a job (employment discrimination)
Ross, Neeley & Baggs (2007)	125 (+ 47 in control group)	2 nd grade (US)	N/A	Speech impairment Language impairment	School education (discipline infractions)
Snowling, Adams, Bishop & Stothard (2001)	71 (+ 49 in control group)	Approximately 4 years	16-17 years	Speech / language difficulty	School education

Note: * Numbers indicate the other ICF Activities and Participation chapters to which the paper relates
Abbreviations: SLP – Speech-language pathologist

Table 1. Databases and Terms used in Systematic Review

Databases searched	Terms Included	Terms Excluded
Academic Search Premier	One of the following: Speech impair* Speech delay* Speech disorder* Speech difficult* Articulation impair* Articulation delay* Articulation disorder* Articulation difficult* Phonological impair* Phonological delay* Phonological disorder* Phonological difficult*	Not the following: Cleft lip Cleft palate Down* syndrome Cerebral palsy Autis* Cochlear implant Stutter* Voice Hearing impair* Traumatic brain injur* Acquired brain injur* Aphasia Stroke Parkinson* disease Epilepsy Dysphagia Multiple Sclerosis
CINAHL Plus with Full Text		
Education Research Complete		
ERIC		
Health Business Fulltext Elite		
Health Source - Consumer Edition		
Health Source - Nursing/Academic Edition		
MEDLINE (1950-present)		
Professional Development Collection		
Psychology and Behavioral Sciences Collection		
SocINDEX with Full Text		

Table 2. Results of the search strategy for each Activity and Participation (ICF) component

ICF Chapter	Chapter title	Search terms	Number from database	Number from title / abstract / paper	Number from manual search	Total*
1	Learning and Applying Knowledge	<i>attention or read* or writ* or spell* or calculat* or problem-solv* or think*</i>	487	27	4	31
2	General tasks and demands	<i>(undertak* task*) or (perform* task) or (handl* stress) or (manag* stress) or routine or coping</i>	30	0	0	0
3	Communication	<i>communication or (receptive language) or (expressive language) or conversation</i>	594	14	0	14
4	Mobility	<i>mobility or motor skill* or mov*</i>	162	4	1	5
5	Self care	<i>self care or activities of daily living</i>	10	1	0	1
6	Domestic life	<i>household tasks or caring or assisting others</i>	1	0	0	0
7	Interpersonal interactions and relationships	<i>relations* or friend* or interact*</i>	364	12	3	15
8	Major life areas	<i>education or employment</i>	355	6	0	6
9	Community, social and civic life	<i>community or recreation or leisure or religion</i>	52	2	0	0

* Note: Some of these papers were duplicated (i.e. occurred in searches for more than one chapter)

Table 3. Activities and Participation domains associated with speech impairment

Chapter / Component	Specific Domains
Learning and applying knowledge (d1)	Learning to read (d140) / Reading (d166) Learning to write (d145) / Writing (d170) Focussing attention (d160) / Thinking (d163) Calculating (d172)
Communication (d3)	Speaking (d330) Writing messages (d345) Conversation (d350)
Mobility (d4)	
Self care (d5)	
Interpersonal interactions and relationships (d7)	Relating with persons in authority (d7400) Informal relationships with friends (d7500) Informal relationships with peers (d7504) Parent-child relationships (d7600) Sibling relationships (d7602)
Major life areas (d8)	School education (d820) Acquiring, keeping and terminating a job (d845)
